



WINDOW & FACADE

**VERTICAL SHADING WITH SIR SYSTEM
FOR OPTIMUM FABRIC TENSION**



VENTOSOL VS5200 | VS6200 | VM720/3



SIR system




Round box




VS6200, VM720/3 Square boxes

- Fabric protected in the box
- Suitable for many uses with its rounded or square box
- Maximum stability of the cover guidance system thanks to the SIR system (Soft Retaining System – zip fastener technology)
- No light can creep in between the cover and guide rail (SIR system)
- Very high wind stability
- Drop profile recessed into the box (VS6200 / VM720/3)
- Wall mounting possible with fixing brackets, direct screw connection or clip system
- Mounting to soffit possible using direct screw connection
- Service-friendly due to 2-piece or 3-piece protective box (VS6200)
- Different fabrics enable clear view despite shading, or even complete darkening
- Can also be used as a screen for outside and inside (suitable cover required)
- No fluttering of the cover or excessive noise emission
- Insects are kept out


Technical dimensions in millimetres (1 mm = 0.03937")



VS6200 Wall mounting with direct screw connection



VS6200 Soffit mounting



VS5200 Soffit mounting



Easy maintenance



Darkening using blackout fabric



VS6200 with uni fabric

VS5200

	min.	2' 6"
	max.	13' 1"
	min.	1' 8"
	max.	16' 5"



VS6200

	min.	2' 6"
	max.	16' 5"
	min.	2' 6"
	max.	16' 5"



VM720/3

	min.	2' 9"
	max.	23' 0"
	min.	1' 8"
	max.	9' 10"



COLORS

Discover the diverse options when selecting frame colors.



FABRICS

Choose from a comprehensive range of materials and colors.








ELECTRICS

More convenience thanks to the automated control.



OPTIMUM ROOM CLIMATE FOR EXTRA LIVING COMFORT

		Max. width	Max. height	 																
				Wall fixing	Top fixing	Soffit fixing	Wall fixing with mounting brackets	Wall fixing with clip system	Wall mounting with direct screw connection	Box	Wire rope guide	Rod guide	Aluminium guide rail	Service flap	Linking systems together	Horizontal use	Square or round design options	CRISTAL PVC transparent film	LUNERO blackout fabric	Gear unit with wall breakthrough
VERTICAL AWNINGS WITH SIR SYSTEM																				
VENTOSOL	VS5200	13' 1"	16' 5"	+	-	•	+	+	+	•	-	-	•	-	-	-	-	+	+	•/+
	VS6200	16' 5"	16' 5"	•	-	•	+	-	•	•	-	•	•	-	-	•	+	+	+	•/+
	VM720/3	23' 0"	9' 10"	+	-	•	+	-	+	•	-	-	•	-	-	-	-	-	-	•/-
• STANDARD + OPTIONAL - NOT POSSIBLE ALL DIMENSIONS IN FEET SUBJECT TO CHANGE WITHOUT PRIOR NOTIFICATION																				
Restriction of dimensions possible.																				